




赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望






赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望

HZJB-660C






1	4
2	4
3	5
3.1	5
3.2	5
3.3	5
3.4	5
4	6
4.1	6
4.2	6
5	7
5.1	7
5.2	8
6	9
6.1	9
6.2	9
6.3	10
6.3.1	10
6.3.2	11
6.3.3	13
6.3.4	14
6.3.5	16
6.3.6	16
6.4	16
6.4.1	16
6.4.2	17
7	17
7.1	17
7.2	18
7.3	19
7.4	19
8	20



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望





OVERVIEW

2.16

1 e w0P0r0@0X0A3h P`

è µ 0^{3.1}

3.1.1

25V 250V 50Hz/60Hz

3.1.2

± × 5%+0.5V

3.1.3 ± m u b

± × 10%

3.1.4

1500k

3.2

3.2.1

0 20mA 50Hz/60Hz

3.2.2

± × 5%+5uA

3.2.3


m m



- 3.4.2 4
- 3.4.3 8 8
- 3.4.4 320mm() × 270mm() × 150mm()
- 3.4.5 3.2kg
- 3.4.6 115mm() × 120mm() × 65mm()
- 3.4.7 0.6kg ()
- 3.4.8 -10 50
- 3.4.9 90%

4.1

1
U1
1 x1p x1p





2

2

A

C

B

2°

4°

A

C

"

"

Ia

Ic

120°

B

A

C

Ic

Ia

ca A

0a=

ca-120°

/2 C

0c= -

ca -120°

/2

A C

0°

5.1

3

5.1.1

A

B

C


A

B

C

A

5.1.2




3



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望





5.2.3

" " " " " " " " " "

" "

5.2.4


128× 64 OLED

5.2.5

5.2.6

5.2.7

5.2.8



5.2.9

" 7 "



PT

6.1

6.2



6.3



6.3.1

" " 7


" " " " "





6.3.2

8



8

ABC A B C A-B C-B

B

ABC

A B C



P T

PT

PT


" " " " " " "

" " PT PT


PT

" "

6.3.3




9



10



11



12

" " " "



9

10

11

12

13

2016/04/22 五 15:13:18		系统频率 49.99Hz
测试参数		
试验编号:000000	补偿角度: Φa: 0.00°	测试 显示 保持 打印
设备名称:000000	测试方式:有线	
参考相别:A	被测相别:A	
补偿方式:禁用补偿	P T 变比:1.000	
2016年04月22日 15时10分29秒		

13



" " " " " " " " " " "

6.3.4



a-b b-c c-a

Ux

3 5 7

$$U_x = \sqrt{U_1^2 + U_3^2 + U_5^2 + U_7^2}$$

Ex

KV/m

K/m

U1

E1

U3 U5 U7 3 5 7



E3 E5 E7

I_x 3 5 7

I_{xp} I_x


I_r 3 5 7

I_{rp} I_r

I_{r1p}

I_{c1p}

I_{r3p} I_{r5p} I_{r7p} 3 5 7



$$C_x = \frac{I_{c1}}{2 \pi f U_1}$$

I_{c1}

f

U₁


U₁=1000V

KV

uK uFKV nK nFKV

	0 74.99°	75 76.99°	77 79.99°	80 82.99°	83 87.99°	88°

:





6.3.5

14

15

14

" 001/003"

100

6.3.6

15

" "

" "



" "

" "

6.4

16

欢迎使用

Fa: 50.00Hz 
 Uxa: 60.00V
 Uxb: 60.00V 0
 Uxc: 60.00V 

16

17

6.4.1

17

A



" "

3

5

7



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用


服务宗旨：快速响应，达到满意，超过期望





7.3

母线



19

19


7.4

B

A C

B

20



20



8.1

8.2

8.3

8.4

8.4.1

8.4.2

8.4.3

" " " "


1

2

1.

2

1





2

3

2

24

027-83267669

48

24

4

